



অসম পেট্র'-কেমিকেলচ্ লিমিটেড

ASSAM PETRO-CHEMICALS LIMITED

(A Government of Assam Undertaking) | An ISO 9001:2015 Certified Company
CIN- U24116AS1971SGC001339, GSTN: 18AABCA6913A1Z6

Head Office

Namrup, P.O. Parbatpur
District: Dibrugarh, Assam-786623, India

(0374) 2500331/2500217

Email: admin_apl@assampetrochemicals.co.in
Web: www.assampetrochemicals.co.in

e-TENDER DOCUMENT

Tender Number	Date
APL/C&P/006/PP/E/Proj/25-26/195	28/04/2025

APL invites sealed tenders for the following job as per the details below:

Type of BID	OPEN LIMITED TENDER
Bidding type	SINGLE STAGE TWO BID
Bid Submission	In e-tendering portal https://assamtenders.gov.in/nicgep/app
Tender Availability websites	1. https://assamtenders.gov.in/nicgep/app 2. www.assampetrochemicals.co.in
Estimated Cost	₹. 23,80,323.50
Earnest Money	₹. 48,000.00
Tender Processing Fee	₹. 500.00

A). TENDER TIME SCHEDULE

Sl. No.	Stage	Start Date & Time		End Date & Time	
01	Bid Publishing	29/04/2025	11:00 hr	-	-
02	Bid Download	29/04/2025	12:00 hr	13/05/2025	15:00 hr
03.	Bid Submission	29/04/2025	12:00 hr	13/05/2025	15:00 hr
04.	Bid Opening	14/05/2025	10:00 hr	-	-



অসম পেট্র'কেমিকেলচ্ লিমিটেড

ASSAM PETRO-CHEMICALS LIMITED

(A Government of Assam Undertaking) | An ISO 9001:2015 Certified Company
CIN- U24116AS1971SGC001339, GSTN: 18AABCA6913A1Z6

Head Office

Namrup, P.O. Parbatpur
District: Dibrugarh, Assam-786623, India

(0374) 2500331/2500217

Email: admin_apl@assampetrochemicals.co.in
Web: www.assampetrochemicals.co.in

B). SCOPE OF SUPPLY:

Sl. No.	Description of materials	Unit	Quantity																																							
01.	TYPE: CHECK VALVE, TAG NO: 53702, PIPING CLASS: F2A, RATING: 1500, STANDARD: ANSI-B-16.34, SIZE: 6", END CONNECTION: BW TO ASME B-16.25, SCH-120	Nos	02																																							
	<table border="1"> <thead> <tr> <th>Description</th> <th>Construction</th> <th>Material</th> </tr> </thead> <tbody> <tr> <td>BODY</td> <td>FORGED/ CAST</td> <td>ASTM A105/ A216 GR. WCB</td> </tr> <tr> <td>COVER</td> <td>PRESSURE SEAL TYPE</td> <td>ASTM A105/ A216 GR. WCB</td> </tr> <tr> <td>DISC/ PISTON</td> <td></td> <td>STELLITED</td> </tr> <tr> <td>BODY SEAT RING</td> <td>NON- RENEWABLE/ RENEWABLE</td> <td>STELLITED</td> </tr> <tr> <td>HINGE PIN</td> <td></td> <td>13% CR. STEEL (NO CASTING)</td> </tr> <tr> <td>DISC HINGE</td> <td></td> <td>13% CR. STEEL/ A216 GR. WCB</td> </tr> <tr> <td>COVER STUD BOLT</td> <td></td> <td>ASTM A193 GR. B7</td> </tr> <tr> <td>COVER NUT</td> <td></td> <td>ASTM A193 GR. 2H</td> </tr> <tr> <td>COVER GASKET</td> <td></td> <td>SOFT IRON, MAX 90 BHN/ GRAPHITE WITH BRAIDED ANTI EXTRUSION RING</td> </tr> <tr> <td>SPECIAL SERVICE CONDITION</td> <td>I.B.R</td> <td>STEAM; MAX TEMP 427 DEG. C.</td> </tr> <tr> <td>WASHER, NUT, PIN</td> <td></td> <td>13% CR. STEEL (NO CASTING)</td> </tr> <tr> <td>HYDROSTATIC TEST PRESSURE</td> <td>BODY: 5575 PSIG</td> <td>SEAT: 4100 PSIG</td> </tr> </tbody> </table>	Description	Construction	Material	BODY	FORGED/ CAST	ASTM A105/ A216 GR. WCB	COVER	PRESSURE SEAL TYPE	ASTM A105/ A216 GR. WCB	DISC/ PISTON		STELLITED	BODY SEAT RING	NON- RENEWABLE/ RENEWABLE	STELLITED	HINGE PIN		13% CR. STEEL (NO CASTING)	DISC HINGE		13% CR. STEEL/ A216 GR. WCB	COVER STUD BOLT		ASTM A193 GR. B7	COVER NUT		ASTM A193 GR. 2H	COVER GASKET		SOFT IRON, MAX 90 BHN/ GRAPHITE WITH BRAIDED ANTI EXTRUSION RING	SPECIAL SERVICE CONDITION	I.B.R	STEAM; MAX TEMP 427 DEG. C.	WASHER, NUT, PIN		13% CR. STEEL (NO CASTING)	HYDROSTATIC TEST PRESSURE	BODY: 5575 PSIG	SEAT: 4100 PSIG		
Description	Construction	Material																																								
BODY	FORGED/ CAST	ASTM A105/ A216 GR. WCB																																								
COVER	PRESSURE SEAL TYPE	ASTM A105/ A216 GR. WCB																																								
DISC/ PISTON		STELLITED																																								
BODY SEAT RING	NON- RENEWABLE/ RENEWABLE	STELLITED																																								
HINGE PIN		13% CR. STEEL (NO CASTING)																																								
DISC HINGE		13% CR. STEEL/ A216 GR. WCB																																								
COVER STUD BOLT		ASTM A193 GR. B7																																								
COVER NUT		ASTM A193 GR. 2H																																								
COVER GASKET		SOFT IRON, MAX 90 BHN/ GRAPHITE WITH BRAIDED ANTI EXTRUSION RING																																								
SPECIAL SERVICE CONDITION	I.B.R	STEAM; MAX TEMP 427 DEG. C.																																								
WASHER, NUT, PIN		13% CR. STEEL (NO CASTING)																																								
HYDROSTATIC TEST PRESSURE	BODY: 5575 PSIG	SEAT: 4100 PSIG																																								
	<p>NOTES:</p> <ol style="list-style-type: none"> 1. THE VALVE SPEC SHEET SHALL BE READ IN CONJUNCTION WITH TECHNICAL NOTES FOR VALVES. 2. THE OEM MUST BE EIL APPROVED AND VALID ENLISTMENT CERTIFICATE OF EIL FOR THE ITEMS OFFERED TO BE FURNISHED ALONG WITH OFFER. 3. THE OEM SHOULD HAVE EXPERIENCE OF SUPPLYING SAME SIZE/ HIGHER SIZE WITH SAME CLASS/ HIGHER CLASS VALVES TO ANY PSU WITHIN 5 YEARS. SUPPORTING P.O. COPIES TO BE FURNISHED ALONG WITH OFFER. 4. THE OEM SHOULD HAVE API 600 CERTIFICATE HOLDING CONTINUOUSLY FOR LAST 05 YEARS FROM ORIGINAL BID CLOSING DATE OF THIS TENDER AND IS TO BE FURNISHED ALONG WITH OFFER. 5. EACH VALVE BODY SHALL BEAR FOLLOWING PERMANENT MARKS THROUGH DIE CASTING OR DIE STAMPING. 6. THE BIDDER TO PROVIDE EIL APPROVED "GAD" FOR THE ITEMS OFFERED TO BE FURNISHED ALONG WITH OFFER. <ol style="list-style-type: none"> a) MANUFACTURER'S NAME b) VALVE SIZE c) PRESSURE RATING d) SERIAL NO. e) MANUFACTURED FOR APL 7. THE BIDDER SHALL CLEARLY MENTION FOR ANY DEVIATION AGAINST EACH PART/ MATERIAL OF VALVE. 																																									



অসম পেট্র’-কেমিকেলচ্ লিমিটেড
ASSAM PETRO-CHEMICALS LIMITED

(A Government of Assam Undertaking) | An ISO 9001:2015 Certified Company
CIN- U24116AS1971SGC001339, GSTN: 18AABCA6913A1Z6

Head Office

 Namrup, P.O. Parbatpur
District: Dibrugarh, Assam-786623, India
 (0374) 2500331/2500217
 Email: admin_apl@assampetrochemicals.co.in
 Web: www.assampetrochemicals.co.in

<p>8. NO CUTTING/ OVERWRITING BY BIDDER ON APL'S SPEC IS ALLOWED.</p> <p>9. TESTING OF VALVE SHALL BE AS PER API 598/ BS EN 12266- 1 & IBR.</p> <p>10. VALVE WALL THICKNESS SHALL BE AS PER ANSI B 16.34/ BS 1868</p> <p>11. ALL VALVES SHALL BE SUPPLIED WITH IBR CERTIFICATE IN FORM- III C.</p> <p>12. ALL VALVES SHALL BE PAINTED WITH STD. COLOUR.</p> <p>13. 100% VALVE CASTINGS SHALL UNDERGO RADIOGRAPHIC EXAMINATION.</p> <p>14. VALVES TO COMPLY WITH DESIGN REQUIREMENT OF IBR ALSO.</p> <p>15. GASKET MATERIAL GRAPHITE SHALL BE PROVIDED WITH CORROSION INHIBITOR.</p> <p>16. VALVE TESTING AS PER BS 6755 (PART-I) & IBR IS ALSO ACCEPTABLE.</p> <p>17. ALL MATERIALS OF COMPONENTS OF THE VALVES SHOULD CONFORM TO API SPECIFICATION. MATERIALS ARE TO BE ACCOMPANIED BY TEST CERTIFICATES OF RAW MATERIALS USED. BIDDER TO ENSURE THAT VALVE BODY PLUG & COVER ETC. COMPONENTS ARE PROCURED FROM EIL/LLOYDS APPROVED FOUNDRIES.</p> <p>18. VALVES OPERATION & MAINTENANCE MANUAL TO BE PROVIDED ALONG WITH THE OFFER.</p> <p>19. SUCCESSFUL VALVE SUPPLIER FOR THE ABOVE REQUIREMENT SHALL HAVE TO PROVIDE FREE AFTER SALES SERVICES FOR A PERIOD OF 3 YEARS FROM THE DATE OF SUPPLY TO APL. THEY SHALL HAVE TO VISIT THE SITE ONCE IN EVERY 6 MONTHS & TO PROVIDE WITH NECESSARY SPARES LIKE LUBRICATION / STEM PACKING ETC. FREE OF COST TO US AS & WHEN THE SAME ARE REQUIRED (VALID FOR 3 YEARS) ALONG WITH TECHNICIAN.</p> <p>20. GAD/ QAP/ ITP FOR APPROVAL BEFORE START OF FABRICATION INCLUDING INSPECTION BY APL AUTHORIZED TPIA AND QA DOSSIER WITH IRN & GUARANTEE CERTIFICATE TO BE FURNISHED ALONG WITH SUPPLY OF ITEMS.</p>		
---	--	--



অসম পেট্র’-কেমিকেলচ্ লিমিটেড

ASSAM PETRO-CHEMICALS LIMITED

(A Government of Assam Undertaking) | An ISO 9001:2015 Certified Company
CIN- U24116AS1971SGC001339, GSTN: 18AABCA6913A1Z6

Head Office

Namrup, P.O. Parbatpur
District: Dibrugarh, Assam-786623, India

(0374) 2500331/2500217

Email: admin_apl@assampetrochemicals.co.in
Web: www.assampetrochemicals.co.in

Sl. No.	Description of materials	Unit	Quantity																																													
02.	TYPE: GATE VALVE, TAG NO/ SHEET NO: 51702, PIPING CLASS: F2A, RATING: 1500, STANDARD: ANSI-B-16.34, SIZE: 6", END CONNECTION: BW TO ASME B-16.25, SCH-120	Nos	03																																													
	<table border="1"> <thead> <tr> <th>Description</th> <th>Construction</th> <th>Material</th> </tr> </thead> <tbody> <tr> <td>BODY</td> <td>FORGED/ CAST</td> <td>ASTM A105/ A216 GR. WCB</td> </tr> <tr> <td>BONNET</td> <td>PRESSURE SEAL TYPE</td> <td>ASTM A216 GR. WCB/ ASTM A105</td> </tr> <tr> <td>STEM</td> <td>RISING</td> <td>13% CR. STEEL/ 17-4 PH SS; (NO CASTING), 32 RMS FINISH</td> </tr> <tr> <td>WEDGE DISC</td> <td>FLEXIBLE/ PARALLEL SLIDE</td> <td>STELLITED</td> </tr> <tr> <td>BODY SEAT RING</td> <td>NON- RENEWABLE/ RENEWABLE</td> <td>STELLITED</td> </tr> <tr> <td>STEM PACKING</td> <td>RENEWABLE WITH VALVE OPEN ON STREAM</td> <td>CORROSION INHIBITED DIE FORMED FLEXIBLE GRAPHITE WITH BRAIDED ANTI EXTRUSION RINGS</td> </tr> <tr> <td>HAND WHEEL</td> <td>NON-RISING</td> <td>MALLEABLE IRON/ CAST ST/ FAB. ST/ DUCT. IRON</td> </tr> <tr> <td>BOLTS</td> <td></td> <td>ASTM A193 GR. B7</td> </tr> <tr> <td>NUTS</td> <td></td> <td>ASTM A193 GR. 2H</td> </tr> <tr> <td>BONNET GASKET</td> <td></td> <td>SOFT IRON, MAX 90 BHN/ GRAPHITE WITH BRAIDED ANTI EXTRUSION RING</td> </tr> <tr> <td>SPECIAL SERVICE CONDITION</td> <td>I.B.R</td> <td>STEAM; MAX TEMP 427 DEG. C.</td> </tr> <tr> <td>BACK SEAT & SHOULDER</td> <td></td> <td>13% CR. STEEL/ STELLITED</td> </tr> <tr> <td>HYDROSTATIC TEST PRESSURE</td> <td>BODY: 5575 PSIG</td> <td>SEAT: 4100 PSIG</td> </tr> <tr> <td>TEST PRESSURE WITH AIR</td> <td>80 PSIG</td> <td></td> </tr> </tbody> </table>	Description	Construction	Material	BODY	FORGED/ CAST	ASTM A105/ A216 GR. WCB	BONNET	PRESSURE SEAL TYPE	ASTM A216 GR. WCB/ ASTM A105	STEM	RISING	13% CR. STEEL/ 17-4 PH SS; (NO CASTING), 32 RMS FINISH	WEDGE DISC	FLEXIBLE/ PARALLEL SLIDE	STELLITED	BODY SEAT RING	NON- RENEWABLE/ RENEWABLE	STELLITED	STEM PACKING	RENEWABLE WITH VALVE OPEN ON STREAM	CORROSION INHIBITED DIE FORMED FLEXIBLE GRAPHITE WITH BRAIDED ANTI EXTRUSION RINGS	HAND WHEEL	NON-RISING	MALLEABLE IRON/ CAST ST/ FAB. ST/ DUCT. IRON	BOLTS		ASTM A193 GR. B7	NUTS		ASTM A193 GR. 2H	BONNET GASKET		SOFT IRON, MAX 90 BHN/ GRAPHITE WITH BRAIDED ANTI EXTRUSION RING	SPECIAL SERVICE CONDITION	I.B.R	STEAM; MAX TEMP 427 DEG. C.	BACK SEAT & SHOULDER		13% CR. STEEL/ STELLITED	HYDROSTATIC TEST PRESSURE	BODY: 5575 PSIG	SEAT: 4100 PSIG	TEST PRESSURE WITH AIR	80 PSIG			
Description	Construction	Material																																														
BODY	FORGED/ CAST	ASTM A105/ A216 GR. WCB																																														
BONNET	PRESSURE SEAL TYPE	ASTM A216 GR. WCB/ ASTM A105																																														
STEM	RISING	13% CR. STEEL/ 17-4 PH SS; (NO CASTING), 32 RMS FINISH																																														
WEDGE DISC	FLEXIBLE/ PARALLEL SLIDE	STELLITED																																														
BODY SEAT RING	NON- RENEWABLE/ RENEWABLE	STELLITED																																														
STEM PACKING	RENEWABLE WITH VALVE OPEN ON STREAM	CORROSION INHIBITED DIE FORMED FLEXIBLE GRAPHITE WITH BRAIDED ANTI EXTRUSION RINGS																																														
HAND WHEEL	NON-RISING	MALLEABLE IRON/ CAST ST/ FAB. ST/ DUCT. IRON																																														
BOLTS		ASTM A193 GR. B7																																														
NUTS		ASTM A193 GR. 2H																																														
BONNET GASKET		SOFT IRON, MAX 90 BHN/ GRAPHITE WITH BRAIDED ANTI EXTRUSION RING																																														
SPECIAL SERVICE CONDITION	I.B.R	STEAM; MAX TEMP 427 DEG. C.																																														
BACK SEAT & SHOULDER		13% CR. STEEL/ STELLITED																																														
HYDROSTATIC TEST PRESSURE	BODY: 5575 PSIG	SEAT: 4100 PSIG																																														
TEST PRESSURE WITH AIR	80 PSIG																																															
	<p>NOTES:</p> <ol style="list-style-type: none"> 1. THE VALVE SPEC SHEET SHALL BE READ IN CONJUNCTION WITH TECHNICAL NOTES FOR VALVES. 2. THE OEM MUST BE EIL APPROVED AND VALID ENLISTMENT CERTIFICATE OF EIL FOR THE ITEMS OFFERED TO BE FURNISHED ALONG WITH OFFER. 3. THE OEM SHOULD HAVE EXPERIENCE OF SUPPLYING SAME SIZE/ HIGHER SIZE WITH SAME CLASS/ HIGHER CLASS VALVES TO ANY PSU WITHIN 5 YEARS. SUPPORTING P.O. COPIES TO BE FURNISHED ALONG WITH OFFER. 4. THE OEM SHOULD HAVE API 600 CERTIFICATE HOLDING CONTINUOUSLY FOR LAST 05 YEARS FROM ORIGINAL BID CLOSING DATE OF THIS TENDER AND IS TO BE FURNISHED ALONG WITH OFFER. 																																															



অসম পেট্র'কেমিকেলচ্ লিমিটেড
ASSAM PETRO-CHEMICALS LIMITED

(A Government of Assam Undertaking) | An ISO 9001:2015 Certified Company
CIN- U24116AS1971SGC001339, GSTN: 18AABCA6913A1Z6

Head Office

Namrup, P.O. Parbatpur
District: Dibrugarh, Assam-786623, India
 (0374) 2500331/2500217
 Email: admin_apl@assampetrochemicals.co.in
 Web: www.assampetrochemicals.co.in

<p>5. EACH VALVE BODY SHALL BEAR FOLLOWING PERMANENT MARKS THROUGH DIE CASTING OR DIE STAMPING.</p> <ul style="list-style-type: none">a) MANUFACTURER'S NAMEb) VALVE SIZEc) PRESSURE RATINGd) SERIAL NO.e) MANUFACTURED FOR APL <p>6. THE BIDDER TO PROVIDE EIL APPROVED "GAD" FOR THE ITEMS OFFERED TO BE FURNISHED ALONG WITH OFFER.</p> <p>7. THE BIDDER SHALL CLEARLY MENTION FOR ANY DEVIATION AGAINST EACH PART/ MATERIAL OF VALVE.</p> <p>8. NO CUTTING/ OVERWRITING BY BIDDER ON APL'S SPEC IS ALLOWED.</p> <p>9. TESTING OF VALVE SHALL BE AS PER API 598 & IBR.</p> <p>10. VALVE WALL THICKNESS SHALL BE AS PER ANSI B16.34/ (API 600/ISO 10434)</p> <p>11. ALL VALVES SHALL BE SUPPLIED WITH IBR CERTIFICATE IN FORM- III C.</p> <p>12. ALL VALVES SHALL BE PAINTED WITH STD. COLOUR.</p> <p>13. 100% VALVE CASTINGS SHALL UNDERGO RADIOGRAPHIC EXAMINATION.</p> <p>14. VALVES TO COMPLY WITH DESIGN REQUIREMENT OF IBR ALSO.</p> <p>15. GASKET MATERIAL GRAPHITE SHALL BE PROVIDED WITH CORROSION INHIBITOR.</p> <p>16. ALL MATERIALS OF COMPONENTS OF THE VALVES SHOULD CONFORM TO API SPECIFICATION. MATERIALS ARE TO BE ACCOMPANIED BY TEST CERTIFICATES OF RAW MATERIALS USED. BIDDER TO ENSURE THAT VALVE BODY PLUG & COVER ETC. COMPONENTS ARE PROCURED FROM EIL/LLOYDS APPROVED FOUNDRIES.</p> <p>17. VALVES OPERATION & MAINTENANCE MANUAL TO BE PROVIDED ALONG WITH THE OFFER.</p> <p>18. SUCCESSFUL VALVE SUPPLIER FOR THE ABOVE REQUIREMENT SHALL HAVE TO PROVIDE FREE AFTER SALES SERVICES FOR A PERIOD OF 3 YEARS FROM THE DATE OF SUPPLY TO APL. THEY SHALL HAVE TO VISIT THE SITE ONCE IN EVERY 6 MONTHS & TO PROVIDE WITH NECESSARY SPARES LIKE LUBRICATION / STEM PACKING ETC. FREE OF COST TO US AS & WHEN THE SAME ARE REQUIRED (VALID FOR 3 YEARS) ALONG WITH TECHNICIAN.</p> <p>19. GAD/ QAP/ ITP FOR APPROVAL BEFORE START OF FABRICATION INCLUDING INSPECTION BY APL AUTHORIZED TPIA AND QA DOSSIER WITH IRN & GUARANTEE CERTIFICATE TO BE FURNISHED ALONG WITH SUPPLY OF ITEMS.</p>		
---	--	--



অসম পেট্র'-কেমিকেলচ্ লিমিটেড

ASSAM PETRO-CHEMICALS LIMITED

(A Government of Assam Undertaking) | An ISO 9001:2015 Certified Company
CIN- U24116AS1971SGC001339, GSTN: 18AABCA6913A1Z6

Head Office

Namrup, P.O. Parbatpur
District: Dibrugarh, Assam-786623, India

(0374) 2500331/2500217

Email: admin_apl@assampetrochemicals.co.in
Web: www.assampetrochemicals.co.in

Sl. No.	Description of materials	Unit	Quantity																																													
03.	TYPE: T- TYPE GLOBE VALVE, TAG NO/ SHEET NO: 52694, PIPING CLASS: E25K, RATING: 900, STANDARD: ANSI-B-16.34, SIZE: 4", END CONNECTION: BW TO ASME B-16.25, SCH- 80	Nos	02																																													
	<table border="1"> <thead> <tr> <th>Description</th> <th>Construction</th> <th>Material</th> </tr> </thead> <tbody> <tr> <td>BODY</td> <td>FORGED/ CAST</td> <td>ASTM A 182 GR. F304L / ASTM A 351 GR CF3</td> </tr> <tr> <td>BONNET</td> <td>PRESSURE SEAL TYPE</td> <td>ASTM A 182 GR. F304L / ASTM A 351 GR CF3</td> </tr> <tr> <td>STEM</td> <td>RISING</td> <td>SS 316L (NO CASTING)</td> </tr> <tr> <td>DISC</td> <td>LOOSE PLUG TYPE/BALL TYPE</td> <td>STELLITED</td> </tr> <tr> <td>BODY SEAT RING</td> <td>NON- RENEWABLE/ RENEWABLE</td> <td>STELLITED</td> </tr> <tr> <td>STEM PACKING</td> <td>RENEWABLE WITH VALVE OPEN ON STREAM</td> <td>CORROSION INHIBITED DIE FORMED FLEXIBLE GRAPHITE WITH BRAIDED ANTI EXTRUSION RINGS</td> </tr> <tr> <td>HAND WHEEL</td> <td>NON-RISING</td> <td>MALLEABLE IRON/ CAST ST/ FAB. ST/ DUCT. IRON</td> </tr> <tr> <td>BOLTS</td> <td></td> <td>ASTM A193 GR. B7</td> </tr> <tr> <td>NUTS</td> <td></td> <td>ASTM A193 GR. 2H</td> </tr> <tr> <td>BONNET GASKET</td> <td></td> <td>SS304L, MAX 120 BHN / GRAPHITE WITH BRAIDED ANTI EXTRUSION RING</td> </tr> <tr> <td>SPECIAL SERVICE CONDITION</td> <td>H2 SERVICE</td> <td>STEAM; MAX TEMP 427 DEG. C.</td> </tr> <tr> <td>BACK SEAT & SHOULDER</td> <td></td> <td>SS- 304L</td> </tr> <tr> <td>HYDROSTATIC TEST PRESSURE</td> <td>BODY: 2700 PSIG</td> <td>SEAT: 2000 PSIG</td> </tr> <tr> <td>TEST PRESSURE WITH AIR</td> <td>80 PSIG</td> <td></td> </tr> </tbody> </table>	Description	Construction	Material	BODY	FORGED/ CAST	ASTM A 182 GR. F304L / ASTM A 351 GR CF3	BONNET	PRESSURE SEAL TYPE	ASTM A 182 GR. F304L / ASTM A 351 GR CF3	STEM	RISING	SS 316L (NO CASTING)	DISC	LOOSE PLUG TYPE/BALL TYPE	STELLITED	BODY SEAT RING	NON- RENEWABLE/ RENEWABLE	STELLITED	STEM PACKING	RENEWABLE WITH VALVE OPEN ON STREAM	CORROSION INHIBITED DIE FORMED FLEXIBLE GRAPHITE WITH BRAIDED ANTI EXTRUSION RINGS	HAND WHEEL	NON-RISING	MALLEABLE IRON/ CAST ST/ FAB. ST/ DUCT. IRON	BOLTS		ASTM A193 GR. B7	NUTS		ASTM A193 GR. 2H	BONNET GASKET		SS304L, MAX 120 BHN / GRAPHITE WITH BRAIDED ANTI EXTRUSION RING	SPECIAL SERVICE CONDITION	H2 SERVICE	STEAM; MAX TEMP 427 DEG. C.	BACK SEAT & SHOULDER		SS- 304L	HYDROSTATIC TEST PRESSURE	BODY: 2700 PSIG	SEAT: 2000 PSIG	TEST PRESSURE WITH AIR	80 PSIG			
Description	Construction	Material																																														
BODY	FORGED/ CAST	ASTM A 182 GR. F304L / ASTM A 351 GR CF3																																														
BONNET	PRESSURE SEAL TYPE	ASTM A 182 GR. F304L / ASTM A 351 GR CF3																																														
STEM	RISING	SS 316L (NO CASTING)																																														
DISC	LOOSE PLUG TYPE/BALL TYPE	STELLITED																																														
BODY SEAT RING	NON- RENEWABLE/ RENEWABLE	STELLITED																																														
STEM PACKING	RENEWABLE WITH VALVE OPEN ON STREAM	CORROSION INHIBITED DIE FORMED FLEXIBLE GRAPHITE WITH BRAIDED ANTI EXTRUSION RINGS																																														
HAND WHEEL	NON-RISING	MALLEABLE IRON/ CAST ST/ FAB. ST/ DUCT. IRON																																														
BOLTS		ASTM A193 GR. B7																																														
NUTS		ASTM A193 GR. 2H																																														
BONNET GASKET		SS304L, MAX 120 BHN / GRAPHITE WITH BRAIDED ANTI EXTRUSION RING																																														
SPECIAL SERVICE CONDITION	H2 SERVICE	STEAM; MAX TEMP 427 DEG. C.																																														
BACK SEAT & SHOULDER		SS- 304L																																														
HYDROSTATIC TEST PRESSURE	BODY: 2700 PSIG	SEAT: 2000 PSIG																																														
TEST PRESSURE WITH AIR	80 PSIG																																															
	<p>NOTES:</p> <ol style="list-style-type: none"> 1. THE VALVE SPEC SHEET SHALL BE READ IN CONJUNCTION WITH TECHNICAL NOTES FOR VALVES. 2. THE OEM MUST BE EIL APPROVED AND VALID ENLISTMENT CERTIFICATE OF EIL FOR THE ITEMS OFFERED TO BE FURNISHED ALONG WITH OFFER. 3. THE OEM SHOULD HAVE EXPERIENCE OF SUPPLYING SAME SIZE/ HIGHER SIZE WITH SAME CLASS/ HIGHER CLASS VALVES TO ANY PSU WITHIN 5 YEARS. SUPPORTING P.O. COPIES TO BE FURNISHED ALONG WITH OFFER. 4. THE OEM SHOULD HAVE API 600 CERTIFICATE HOLDING CONTINUOUSLY FOR LAST 05 YEARS FROM ORIGINAL BID CLOSING DATE OF THIS TENDER AND IS TO BE FURNISHED ALONG WITH OFFER. 																																															



অসম পেট্র’-কেমিকেলচ্ লিমিটেড
ASSAM PETRO-CHEMICALS LIMITED

(A Government of Assam Undertaking) | An ISO 9001:2015 Certified Company
 CIN- U24116AS1971SGC001339, GSTN: 18AABCA6913A1Z6

Head Office

Namrup, P.O. Parbatpur
 District: Dibrugarh, Assam-786623, India
 (0374) 2500331/2500217
 Email: admin_apl@assampetrochemicals.co.in
 Web: www.assampetrochemicals.co.in

	<p>5. EACH VALVE BODY SHALL BEAR FOLLOWING PERMANENT MARKS THROUGH DIE CASTING OR DIE STAMPING.</p> <ol style="list-style-type: none"> MANUFACTURER'S NAME VALVE SIZE PRESSURE RATING SERIAL NO. MANUFACTURED FOR APL <p>6. THE BIDDER TO PROVIDE EIL APPROVED "GAD" FOR THE ITEMS OFFERED TO BE FURNISHED ALONG WITH OFFER.</p> <p>7. THE BIDDER SHALL CLEARLY MENTION FOR ANY DEVIATION AGAINST EACH PART/ MATERIAL OF VALVE.</p> <p>8. NO CUTTING/ OVERWRITING BY BIDDER ON APL'S SPEC IS ALLOWED.</p> <p>9. TESTING OF VALVE SHALL BE AS PER API 598/ BS EN 12266-1.</p> <p>10. VALVE WALL THICKNESS SHALL BE AS PER BS 1873/ ANSI B16.34.</p> <p>11. VALVE ENDS SHALL MATCH THICKNESSES OF CONNECTING PIPES</p> <p>12. VALVE WALL THICKNESS SHALL BE AS PER BS 1873/ ANSI B16.34.</p> <p>13. ALL VALVES SHALL BE PAINTED WITH STD. COLOUR.</p> <p>14. 100% VALVE CASTINGS SHALL UNDERGO RADIOGRAPHIC EXAMINATION.</p> <p>15. ALL CASTINGS SHALL BE SOLUTION HEAT TREATED.</p> <p>16. WELD REPAIRS, IF ANY, SHALL BE CARRIED OUT BEFORE SOLUTION HEAT TREATMENT.</p> <p>17. VALVES SHALL MEET THE REQUIREMENTS FOR HYDROGEN SERVICE AS SPECIFIED IN "THE TECHNICAL NOTES FOR VALVES".</p> <p>18. VALVE TESTING AS PER BS 6755 (PART-I) IS ALSO ACCEPTABLE.</p> <p>19. GASKET MATERIAL GRAPHITE SHALL BE PROVIDED WITH CORROSION INHIBITOR.</p> <p>20. ALL MATERIALS OF COMPONENTS OF THE VALVES SHOULD CONFORM TO API SPECIFICATION. MATERIALS ARE TO BE ACCOMPANIED BY TEST CERTIFICATES OF RAW MATERIALS USED. BIDDER TO ENSURE THAT VALVE BODY PLUG & COVER ETC. COMPONENTS ARE PROCURED FROM EIL/LLOYDS APPROVED FOUNDRIES.</p> <p>21. VALVES OPERATION & MAINTENANCE MANUAL TO BE PROVIDED ALONG WITH THE OFFER.</p> <p>22. SUCCESSFUL VALVE SUPPLIER FOR THE ABOVE REQUIREMENT SHALL HAVE TO PROVIDE FREE AFTER SALES SERVICES FOR A PERIOD OF 3 YEARS FROM THE DATE OF SUPPLY TO APL. THEY SHALL HAVE TO VISIT THE SITE ONCE IN EVERY 6 MONTHS & TO PROVIDE WITH NECESSARY SPARES LIKE LUBRICATION / STEM PACKING ETC. FREE OF COST TO US AS & WHEN THE SAME ARE REQUIRED (VALID FOR 3 YEARS) ALONG WITH TECHNICIAN.</p> <p>23. GAD/ QAP/ ITP FOR APPROVAL BEFORE START OF FABRICATION INCLUDING INSPECTION BY APL AUTHORIZED TPIA AND QA DOSSIER WITH IRN & GUARANTEE CERTIFICATE TO BE FURNISHED ALONG WITH SUPPLY OF ITEMS.</p>		
04.	Freight Charges upto APL, Namrup	Lot	To specify
	<p>N.B: 1) Third Party Inspection is to be carried through our authorized TPIA</p> <p>2) All responsibilities regarding transportation shall be in the scope of the supplier. Transporter available and having godown in our area are M/s ARC Ltd., Ms TCI Express, M/s TCI Freight, M/s ATC (Assam) Pvt. Ltd, M/s ABC Ltd and M/s DARCL</p> <p>3) The delivery period of the entire order shall be deemed to be essence of the contract. In case of delay in execution beyond stipulated period, unless such delay is attributed to APL, or in Force majeure conditions, there will be reduction of contract value @ 0.5% for each week of delay or part thereof subject to maximum of 5% of total contract value</p>		



অসম পেট্র'কেমিকেলচ্ লিমিটেড

ASSAM PETRO-CHEMICALS LIMITED

(A Government of Assam Undertaking) | An ISO 9001:2015 Certified Company
CIN- U24116AS1971SGC001339, GSTN: 18AABCA6913A1Z6

Head Office

Namrup, P.O. Parbatpur
District: Dibrugarh, Assam-786623, India
(0374) 2500331/2500217
Email: admin_apl@assampetrochemicals.co.in
Web: www.assampetrochemicals.co.in

C) GENERAL TERMS & CONDITIONS:

1. Quotation should be in original letter head / Quotation pad having GSTIN & PAN No
2. **The bidder should quote their rates excluding of all taxes and duties. GST rate along with HSN code should be shown separately.**
3. **The Price list should be submitted along with the offer if available.**
4. All entries in the offer must be made in English. The total amount shall be in figures as well as in words. No overwriting shall be allowed. In case of discrepancy, the rates quoted in words shall be considered to be correct. **Hand written quotation will be not be accepted / considered.**
5. **Tender Fee:** The Bidder shall furnish Tender Processing Fee for an amount of ₹. 500.00 (Rupees Five Hundred) only in online mode only by Net banking/RTGS/NEFT.
6. **Earnest Money Deposit (EMD):**
 - a) The Bidder shall furnish Earnest Money Deposit (EMD) for an amount of ₹. 48,000.00 (Rupees Forty Eight Thousand) only in online mode by Net banking/RTGS/NEFT or Bank Guarantee (**BG**) in favour of ASSAM PETROCHEMICALS LIMITED payable as earnest money as per the APL format (Annexure-1) along with the offer. MSME valid certificate under category of similar type of materials will be considered for exemption of EMD.
 - b) EMD of the successful bidder will be released after delivery and acceptance of the materials and on submission of Security Deposit or Performance Bank Guarantee. However, the EMD deposited shall be retained and adjusted towards the Security deposit for the fulfilment of the job. The EMD will be forfeited by the company in case the successful bidder fails to execute the job as agreed.
 - c) EMD of the unsuccessful bidders shall be refunded after issue of Purchase Order to the successful bidder.
7. **MSME or NSIC:** Bidder registered with **MSME or NSIC** should submit their respective certificate along with the Bid.

8. Bidder Qualification Criteria (BQC):

A) Technical:

Sl. No	Technical Criteria	Documentary Evidence required
01.	Bidder should have the experience of supplying of similar type of materials as stated in scope of supply. Similar type of materials implies "API Std Gate, Glove & Check Valves"	Copies of Purchase Orders.

B) Others:

Bidder has to submit their acceptance / response for the terms in the format given below: -

Sl. No.	Terms	Bidder's acceptance / response
01.	Price Basis: Price basis can be Ex-works or FOT destination. Bidders should specify the responsibility of Transit Insurance. For Ex-Works, bidder has to quote for transportation upto APL, Namrup.	
02.	The validity of the offer shall be 120 (sixty) days from the date of opening of Tender.	
03.	The bidder should provide – i) Name of contact person : ii) Contact mobile number : iii) E-mail address : iv) Correspondence address :	
04.	Delivery Period: Bidders have to supply the materials within 31.05.2025 from the date of placement of PO as the materials are urgently required at our site at Namrup. If delivery is not possible within 31.05.2025 then bidder has to specify their delivery period. Delivery of goods shall be based on FOT dispatch point basis. The date of lorry receipt (LR) shall be considered as the date of delivery.	



অসম পেট্র'-কেমিকেলচ্ লিমিটেড

ASSAM PETRO-CHEMICALS LIMITED

(A Government of Assam Undertaking) | An ISO 9001:2015 Certified Company
CIN- U24116AS1971SGC001339, GSTN: 18AABCA6913A1Z6

Head Office

Namrup, P.O. Parbatpur
District: Dibrugarh, Assam-786623, India
(0374) 2500331/2500217
Email: admin_apl@assampetrochemicals.co.in
Web: www.assampetrochemicals.co.in

05.	Confirmation & Acceptance: To adhere to T&C as stated in the Scope of Supply (Notes)							
06.	Third Party Inspection: To carry out third part inspection through our Authorised TPI -							
07.	The bidder must submit copy of PAN and GST Regn. No. etc as required issued by the appropriate Govt. Authority							
08.	GST Rate: <table border="1"><tr><td>IGST</td><td></td></tr><tr><td>CGST</td><td></td></tr><tr><td>SGST</td><td></td></tr></table>	IGST		CGST		SGST		
IGST								
CGST								
SGST								
09.	Payment Terms: As per clause no. 27 Sl. No. iv) of this e-tender document							
N.B: All the above terms should be submitted along with Technical Bid with bidder's seal and signature								

9. Rejection Criteria:

- i) Bidders must furnish self certified / digitally signed relevant documents/information in support of their credentials to the BQC along with offer, failing which their offer shall be summarily rejected.
 - ii). Non Submission of Earnest Money Deposit
 - iii) Incomplete and non-conforming bids will be rejected outright.
 - iv). Pricing information shall NOT be included in the technical part of the Tender. Tenderers shall ensure that no pricing information of any type is shown in their Technical Bid. The inclusion of pricing information in any place other than the price Bid will result in rejection of the Tender.
10. The bidder should quote their rates as per Price Schedule provided along with the NIT.
11. The prices quoted shall be firm. The prices and amounts entered in Price Bid shall represent the Bidder's offer generally in accordance with the requirement.
12. Any amendment or modification of Tender documents will be notified in the website <https://assamtenders.gov.in/nicgep/app>. The same will be binding on the Bidders. APL may, at its discretion, extend the date of submission of tender.
13. Bidders are advised to ensure that their bids are complete in all respects and conform to the purchaser's terms & conditions and bid evaluation criteria of the tender, for avoiding rejection of their offers.
14. Bidders are advised not to take any exception / deviations to the bid document. Still, if exceptions / deviations are maintained in the bid, such conditional / non-conforming bids may be rejected outright.
15. All corrections and alterations, if any, in the entries of tender paper shall be signed in full and stamped by the tender with date. No erasers or overwriting are acceptable.
16. Bids are to be submitted online on e-procurement website <https://assamtenders.gov.in/nicgep/app>. in two parts along with scan copies of required documents, Tender fee & EMD.
17. Original copies of the documents, Tender Fee & EMD shall be submitted within 7 (seven) days from the date of opening of Bid and addressed to:-
Dy. General Manager (C&P)
Assam Petro-chemicals Limited,
Namrup, P.O. Parbatpur,
Dist. Dibrugarh, Pin-786623, Assam, India.
E-mail ID: borah.nb@assampetrochemicals.co.in / pkphukanapl@gmail.com
18. Assam Petro-chemicals Limited will first open the 'Technical Bid' and if found in compliance then 'Price Bid' will be opened
19. No request for extension of Bid closing date & time will be entertained. However, APL at its discretion may extend the Bid closing date and/or time. In case bid closing date is extended, same will be notified through Corrigendum in e-tendering procurement website <https://assamtenders.gov.in/nicgep/app>



অসম পেট্র'কেমিকেলচ্ লিমিটেড

ASSAM PETRO-CHEMICALS LIMITED

(A Government of Assam Undertaking) | An ISO 9001:2015 Certified Company
CIN- U24116AS1971SGC001339, GSTN: 18AABCA6913A1Z6

Head Office

Namrup, P.O. Parbatpur
District: Dibrugarh, Assam-786623, India
(0374) 2500331/2500217
Email: admin_apl@assampetrochemicals.co.in
Web: www.assampetrochemicals.co.in

20. Modifications to bids received after the bid closing time/ date will not be considered.
21. Offer must conform in all respect to the terms and conditions of the enquiry. Deviations, if any, must be clearly and specifically stated.
22. Assam Petro-chemicals Limited does not bind itself to accept the lowest tender and reserve the right to accept / reject / split any or all the tender without assigning any reason whatsoever.
23. No interest will be payable on the Earnest Money or Security Deposit or any other amount payable to the Supplier under this Contract.
24. Bidder shall bear all costs and expenses associated with the preparation and submission of bid. Assam petro-chemicals limited, hereinafter to as Company, will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.
25. Conditional bids are liable to rejection at the sole discretion of the Company.
26. Bidders must quote clearly and strictly in accordance with the Price Bid uploaded in the website <https://assamtenders.gov.in/nicgep/app> otherwise the bid will be rejected. A bid submitted with an adjustable price will be treated as non-responsive and rejected.

27. COMMERCIAL TERMS:

- i) **Price Basis:** Price basis can be Ex-works or FOR destination. Bidders should specify the responsibility of Transit Insurance. For Ex-Works, bidder has to quote for transportation upto APL, Namrup.
- ii) **GST:** Bidder has to mention the rate of percentage of GST and submit their GST Registration Certificate ID, GST ARN No. etc. along with the bid. Further, during the supply of material, bidders are requested to incorporate our GST No. **18AABCA6913A1Z6** in their Tax Invoice in order to avail the benefit of GST.
- iii) **TRANSPORTATION: All responsibilities regarding transportation shall be in the scope of the supplier. Transporter available and having godown in our area are M/s ARC Ltd., Ms TCI Express, M/s TCI Freight, M/s ATC (Assam) Pvt. Ltd, M/s ABC Ltd and M/s DARCL.**
- iv) **Payment terms: i)** No advance shall be paid **ii)** 90% (ninety percent) payment will be made within 30 days after receipt & acceptance of materials. The remaining 10% (ten percent) will be kept as Security Deposit. The Security Deposit will be released after expiry of the guarantee period OR remaining 10% payment will be released against submission of Performance Bank Guarantee within 15 days after receipt of confirmation of PBG from issuing Bank.

Note: All the above terms (under Sl. No. 27) should be specified along with Technical Bid.

28. The delivery period of the entire order shall be deemed to be essence of the contract. In case of delay in execution beyond stipulated period then unless such delay is attributed to owner, or in Force majeure conditions, there will be reduction of contract value @ 0.5% for each week of delay or part thereof subject to maximum of 5% of total contract value.
29. **Delivery Challan should be submitted along with supply mentioning the material unit rate, HSN code and rate of GST.**
30. **Applicability of Law & Jurisdiction:** The order shall be governed and interpreted in accordance with the applicable laws of India as well as the State of Assam. Any suit or proceedings to enforce the rights of either of the parties hereto under this CONTRACT will be instituted in and tried by the courts of Dibrugarh only in the state of Assam and by no other courts and both the parties hereto hereby expressly agree to submit to the jurisdiction of such courts.
31. **Cancellation of Tenders:** APL reserves the right of rejection any or all bids or accepting any bid in part, without assigning any reason there off and without any financial implication on APL, What so ever.
32. **GST TDS deduction from bill:** With reference to the provision of Section 51 of GST, an amount equivalent to **2% (1% CGST, 1% SGST or 2% IGST)** of Taxable value of supply is to be **deducted as GST TDS** if the taxable value of a single W/O or P.O. **exceeds the value of Rs. 2.50 Lakhs before GST.**
33. **TDS on purchase of Goods:** As per new provision vide Sec 194Q for Tax Deduction at Source (TDS) on the purchase of goods **Income Tax will be deducted @ 0.1% on the purchases of goods, if the purchases exceed Rs 50 lacs in a financial year.** This provision is applicable w.e.f. 1st July 2021.

Sd/-

MANAGING DIRECTOR



অসম পেট্র’-কেমিকেলচ্ লিমিটেড

ASSAM PETRO-CHEMICALS LIMITED

(A Government of Assam Undertaking) | An ISO 9001:2015 Certified Company
CIN- U24116AS1971SGC001339, GSTN: 18AABCA6913A1Z6

Head Office

Namrup, P.O. Parbatpur
District: Dibrugarh, Assam-786623, India
(0374) 2500331/2500217
Email: admin_apl@assampetrochemicals.co.in
Web: www.assampetrochemicals.co.in

Annexure – I

PROFORMA FOR EMD

In consideration of Assam Petrochemicals Limited, having its Registered Office at 4th Floor, Orion Place Mahapurush Srimanta Sankardev Path, Bhangagarh, Guwahati, Assam-781005 India (hereinafter called ‘the Owner’ which expression shall unless repugnant to the subject or context includes its successors and assigns) having agreed to exempt M/s (Hereinafter called ‘the said Tenderer(s)’ which expression shall unless repugnant to the subject or context includes his successors and assigns) from the demand under the terms and conditions of tender no. for hereinafter called ‘the said Tender’ of such earnest money deposit for the due fulfillment by the said Tenderer(s) of the terms and conditions contained in the said tender..... foron production of bank guarantee for an amount of Rs. only.

We Bank hereinafter referred to as ‘the bank’ do hereby undertake to pay to the owner and amount not exceeding Rs. only against any loss or damage caused to or suffered or would be caused to or suffered by the said owner by reason of any breach by the said Tenderer(s) of any of the terms and conditions contained in the said tender (the decision of the owner as to any such breach having been committed and loss suffered shall be binding on us).

1.We..... Bank do hereby undertake to pay the amounts due and payable under this guarantee without any demur merely on a demand from the owner stating that the amount claimed is due by way of loss or damage caused to or would cause to or suffered by the owner by reason of any breach by the said Tenderer(s) of any of the terms and conditions contained in the said tender or by reason of the said Tenderer’s failure to keep the tender open. Any such demand made on the Bank shall be conclusive as regards the amount due and payable by the Bank under this Guarantee. However, our liability under this guarantee shall be restricted to an amount not exceeding Rs. only.

2.We..... Bank further agree that the guarantee herein contained shall remain in full force and effect during the period that would be taken for the finalization of the said tender and that it shall continue to be enforceable till the said tender is finally decided and order placed on the successful tenderer(s) and/or till all the dues of the owner under/or by virtue of the said tender have been fully paid and its claims satisfied or discharged or till a duly authorised officer, of the owner certifies that the terms and conditions of the said tender have been fully and properly carried out by the said Tenderer(s) and accordingly discharges the guarantee. Above provisions are applicable subject to validity mentioned in para 4 (b).

3. We _____ Bank undertake not to revoke this guarantee during the currency except with the previous consent of the Owner in writing. Upon expiration of this Guarantee, this document is to be returned to the Bank for cancellation.

4. NOTWITHSTANDING anything contained hereinabove,

a. Our liability under this guarantee shall be restricted to an amount of Rs. only.

b. This guarantee shall be valid upto _____.

c. The Bank shall be released and discharged from all liability under this guarantee unless a written claim or demand is received by the Bank on or before _____.

The Bank hereby declares that it has the power to issue this guarantee and the undersigned has fully power to do so.

dated..... day of..... 20.....

Corporate seal for bank



অসম পেট্র'কেমিকেলচ্ লিমিটেড

ASSAM PETRO-CHEMICALS LIMITED

(A Government of Assam Undertaking) | An ISO 9001:2015 Certified Company
CIN- U24116AS1971SGC001339, GSTN: 18AABCA6913A1Z6

Head Office

Namrup, P.O. Parbatpur
District: Dibrugarh, Assam-786623, India
(0374) 2500331/2500217
Email: admin_apl@assampetrochemicals.co.in
Web: www.assampetrochemicals.co.in

ANNEXURE - A

Format of undertaking by Bidders towards submission of authentic information/ documents

(To be typed on the letter head of the bidder)

Ref No. _____

Date: _____

Sub: Undertaking of authenticity of information / documents submitted

Ref: Your Tender No. _____

Dated _____

To

DGM (C&P)

C&P Department

Assam Petro-Chemicals Limited

P.O. Parbatpur – 786623,

Namrup

Sir,

With reference to our quotation against above referred tender, we hereby undertake that no fraudulent information / manipulated documents have been submitted by us.

We take full responsibility for the submission of authentic information/ documents against the above mentioned bid.

We also agree and undertakes that during any stage of the tender/contract agreement, in case any of the information/ documents submitted by us are found to be false/forged/fraudulent, APL has absolute right to reject our bid at any stage including forfeiture of our EMD and or / PBG and /or cancel the award of contract and / or carry out any penal action on us, as deemed fit.

Your's faithfully

For (type name of the firm here)

Signature of Authorized signatory

Name:

Designation:

Phone No:

Place:

Date:

(Affix Seal here)